

Contents

List of Figures	ix
List of Tables	xi
About the Authors	xiii
Preface	xv
1. Pricing Formulae for General Models	1
1.1 Quasi BSM Formula	1
1.2 The Single Integration Formula	1
1.2.1 The Carr–Madan Representation	3
2. Quadrature Algorithms	5
2.1 Lagrange Interpolation	5
2.2 Orthogonal Polynomials	11
2.2.1 Legendre Polynomials	15
2.2.2 Laguerre Polynomials	19
2.3 Newton–Cotes Schemes	21
2.3.1 The Basic Formula	21
2.3.2 The Composite Formula	22
2.3.3 The Trapezoid Rule	23
2.3.4 The Simpson Rule	23
2.3.5 A Derivation of NC Schemes via Lagrange Interpolation	25
2.4 Gauss Schemes	34
2.4.1 The Fundamental Theorem of Gaussian Quadrature	34
2.4.2 The Gauss–Lobatto Rule	35
2.4.3 The Gauss–Laguerre Rule	39
2.4.4 A Derivation of Gauss Schemes via Lagrange Interpolation	39
3. Pricing via Quadrature: Formulae Implementation	45
3.1 Explicit Representations via Newton–Cotes Schemes	45
3.1.1 Quasi BS Formula	45
3.1.1.1 Implementation via Trapezoid Rule	45
3.1.1.2 Implementation via Simpson Rule	47
3.1.2 The Carr–Madan Representation of Single Integration Formula	49
3.1.2.1 Implementation via Trapezoid Rule	49
3.1.2.2 Implementation via Simpson Rule	51

3.2	Explicit Representations via Gauss Schemes	53
3.2.1	Quasi BS Formula	53
3.2.1.1	Implementation via Gauss–Lobatto Rule	53
3.2.1.2	Implementation via Gauss–Laguerre Rule	55
3.2.2	The Carr–Madan Representation of Single Integration Formula	57
3.2.2.1	Implementation via Gauss–Lobatto Rule	57
3.2.2.2	Implementation via Gauss–Laguerre Rule	58
4.	Pricing via Quadrature: Empirical Performances	61
4.1	Stability Assessment	61
4.1.1	Oscillations of the Characteristic Functions	61
4.1.1.1	Black–Scholes Model	61
4.1.1.2	Heston Model	61
4.1.1.3	Merton Model	62
4.1.1.4	Bates Model	63
4.1.2	The Stability Impact of Alpha in Single Integration Formula	64
4.1.3	Optimal Choice of the Sampling Grids	65
4.1.3.1	Newton–Cotes Schemes	67
4.1.3.2	Gauss Schemes	68
4.1.4	Stability: Summary Figures	71
4.2	Accuracy Assessment	72
4.2.1	The Choice of Optimal Alpha	73
5.	Pseudo-codes	81
	References	85
	Index	87

List of Figures

2.1	Interpolation of function $f(x) = \tan(x)$ using Lagrange polynomial $L(x) = -1.48x + 4.08x^3$	8
2.2	Legendre functions	18
2.3	Laguerre functions	20
4.1	Black–Scholes model – stability analysis on tau	62
4.2	Heston model – stability analysis on tau	62
4.3	Heston model – stability analysis on rho	63
4.4	Merton model – stability analysis on tau	63
4.5	Merton model – stability analysis on lambda	64
4.6	Bates model – stability analysis on tau	65
4.7	Bates model – stability analysis on eta	65
4.8	Black–Scholes model – stability analysis on alpha	66
4.9	Heston model – stability analysis on alpha	66
4.10	Merton model – stability analysis on alpha	66
4.11	Bates model – stability analysis on alpha	67
4.12	Trapezoid rule $a = 10$	68
4.13	Trapezoid rule $a = 100$	68
4.14	Trapezoid rule $a = 1000$	69
4.15	Absolute mean error – Heston	71
4.16	Logarithm of absolute mean error – Merton	71
4.17	Logarithm of absolute mean error – Bates	72
4.18	Absolute mean error – Heston	75
4.19	Logarithm of absolute mean error – Merton	76
4.20	Absolute mean error – Bates	76

List of Tables

2.1	Values of $a(j)$ coefficients in Newton–Cotes schemes	22
2.2	Values of $a(j)$ coefficients in composite Newton–Cotes schemes	23
4.1	Newton–Cotes schemes – weighted absolute mean error for different values of a/N	69
4.2	Gauss–Lobatto scheme – weighted absolute mean error for different values of a/N	70
4.3	Gauss–Laguerre scheme – weighted absolute mean error for different values of a/N	70
4.4	Merton model – weighted absolute mean error for different values of α	73
4.5	Heston model – weighted absolute mean error for different values of α	74
4.6	Bates model – weighted absolute mean error for different values of α	75
4.7	Black–Scholes model – optimised weighted absolute mean error for different values of τ	76
4.8	Black–Scholes model – optimised weighted absolute mean error for different values of ν	77
4.9	Merton model – optimised weighted absolute mean error for different values of τ	77
4.10	Merton model – optimised weighted absolute mean error for different values of ν	77
4.11	Heston model – optimised weighted absolute mean error for different values of τ	77
4.12	Heston model – optimised weighted absolute mean error for different values of ν	78
4.13	Bates model – optimised weighted absolute mean error for different values of τ	78
4.14	Bates model – optimised weighted absolute mean error for different values of ν	78